

VACCINATION – A MEDICAL ABOMINATION

by Dr. Lawrence Wilson

© April 2016, L.D. Wilson Consultants, Inc.

All information in this article is for educational purposes only. It is not for the diagnosis, treatment, prescription or cure of any disease or health condition.

Update – April 2016: UCLA pediatrician resigns because The American Association Of Pediatrics knows that vaccines cause autism and has been covering up this information.

For full article, please click on:

<http://www.drkelley.info/2016/04/13/ucla-pediatrician-resigns-because-american-association-of-pediatrics-knows-vaccines-cause-autism/>.

Update – April 2016: An excellent article and book about vaccination and aluminum poisoning appeared recently at this URL:

http://articles.mercola.com/sites/articles/archive/2016/04/03/aluminum-vaccine-health-effects.aspx?utm_source=dnl&utm_medium=email&utm_content=art1&utm_campaign=20160403Z1&et_cid=DM102151&et_rid=1427386417

Update - May 2015: An excellent discussion of vaccination is by Robert Kennedy, Jr. at this link:

<https://www.youtube.com/watch?v=XxLjtLPNxP4>

Vaccination began about 200 years ago as an experimental life-saving medical tool. While it had some merit, **today vaccination is one of the leading causes of disability among our children.** Today, vaccines are not needed if one lives healthfully. They do not work well today. Also, the stray viruses they contain, along with the toxic chemicals they all contain, are a horror.

One out of every 68 children in America is autistic today. I speak with many parents and am tired of hearing the same story: “My child was fine until he or she received vaccines. Then he or she slowly or rapidly became withdrawn, stopped speaking, and mental development slowed or stopped”. **When will our health authorities stop lying to the public about the problems of vaccines?**

Warning: You will not get the truth from licensed doctors about vaccination because if they speak out about vaccines, they can lose their medical license and their livelihood. This is unfortunate, but true.

Also, whatever you choose to do about vaccination, NEVER, NEVER, EVER give a child more than one vaccine at a time. All vaccines are bad, but combinations of vaccines given on the same day are one of the worst possible insults to a child’s body imaginable.

This article covers many aspects of the vaccine debate. Topics include the history of vaccination, the true effectiveness of vaccines, and the side effects of vaccines. The article also discusses other problems of vaccines and some alternatives to vaccination. It also covers how to opt out of vaccination.

UPDATE JANUARY 14, 2015

Dr. Mercola covers the vaccine issue well. Here is an update that is very important to read:

http://articles.mercola.com/sites/articles/archive/2015/01/13/whooping-cough-bacteria-evolves.aspx?e_cid=20150113Z1_DNL_BuyerB_art_1&utm_source=dnl&utm_medium=email&utm_content=art1&utm_campaign=20150113Z1-BuyerB&et_cid=DM66625&et rid=803866560

UPDATES 2014

Here is an excellent book about vaccines:

Dissolving Illusions: Disease, Vaccines, and the Forgotten History by Suzanne Humphries, MD.

Revelation of High-Level Cover-Up Will Blow

Lid Off of Vaccine Fraud

By Bill Sardi

August 22, 2014

The lack of major news media coverage of possibly the biggest government whistleblower revelation since disclosure of the Tuskegee Experiment in 1972 [InfoPlease.com] suggests more than fraud at the highest levels of the Centers For Disease Control (CDC) as well as major vaccine makers, it suggests the Nation's news agencies are complicit in portraying a government view that there is no link between vaccination and the unexplained rise of autism.

Only alternative news sources are covering the story so far, which broke on August 8 when Brian S. Hooker, a Simpson University researcher, published a report in the journal *Translational Neurodegeneration* that the MMR (measles, mumps, rubella) vaccine was shown to increase the risk for autism 3.4 times among young black boys. [Translational Neurodegeneration Aug 8, 2014]

Dr. Hooker suggests the vulnerability of young African American boys to autism from vaccinations may result from their low Vitamin-D levels, given their dark skin pigmentation. The prevalence of autism in African Americans is nearly 25% higher than that of whites. [PLos One July 12, 2010].

Whistleblower Confirms British Doctor's Prior Allegation

Dr. Hooker, a vaccine researcher and the father of a vaccine-injured child with autism, was working with a yet-unidentified whistleblower within the CDC. Dr. Hooker reanalyzed data published in the journal *Pediatrics* in 2004 [[Pediatrics Feb 2004](#)] at the height of an ongoing debate that began with British physician Andrew Wakefield's allegation launched in 1999 that there may be an association between the MMR vaccine and autism.

In the aftermath of Dr. Wakefield's allegation, national rates of MMR coverage in Britain fell from 92% to 73%, with rates in parts of London as low as 50%. [[Pediatrics April 2008](#)] Dr. Wakefield himself was sanctioned by British health authorities in 2010 and his papers withdrawn from publication, which was well noted in a slanted report entitled "The Crash And Burn Of An Autism Guru" published in *The New York Times* ([NY Times April 20, 2011](#)).

Dr. Hooker's report conflicts with Dr. Colleen Boyle's 2013 testimony before Congress on behalf of the CDC that denied any link between vaccines and autism.

Dr. Hooker's revelation comes "Thirteen years and tens of thousands of children later," says Dr. Wakefield. [[AgeOfAutism.com](#)]

According to a report published by the Focus Autism Foundation, "the CDC whistleblower alleges criminal wrongdoing of his supervisors, and he expressed deep regret about his role in helping the CDC hide data." [[Focus Autism Foundation Aug 18, 2014](#)]

Fraudulent Practices Revealed

There is evidence of an intentional cover-up as it is alleged that data from children who did not have birth certificates (not a pertinent factor) was removed from the study to reduce the statistical power of the study and claim there was no significant association between autism and the MMR vaccine. The original study was first published in the journal *Pediatrics*, a publication that receives financial support from vaccine makers via advertising, said a 2008 [CBS News report](#).

Dr. Hooker's report is not the only one showing a greater risk for autism among black boys that has been kept hidden. A striking, increased risk for autism among black boys inoculated with the hepatitis B vaccine as neonates was documented in a report published in 2010. [[Journal Toxicology & Environmental Health, Part A, 2010](#)]

Dr. Hooker notes that the CDC used children under the age of 3 for a comparison (control) group, which is an intentional way of skewing results of its studies involving any alleged link between vaccines and autism. Symptoms of autism generally don't emanate among children until after age 3 and the control group was too young to have received a diagnosis of autism, he notes.

Age of Autism, an activist group, suggested in 2012 that the CDC's Dr. Colleen Boyle manipulated data in April of 2000 by "using kids too young to have an autism diagnosis." [[AgeOfAutism.com](#)] So, one of the ways the vaccine industry and its minions in government have hidden the link between autism and the MMR vaccine has been re-

vealed but has gone unreported by major news media.

Interested persons can listen to Dr. Colleen Boyle's testimony before Congress in November of 2012. You can hear Dr. Boyle say: "Vaccines and their components did not increase the risk for autism." [[YouTube Nov 29, 2012](#)] Shouldn't somebody go to jail here for perjury before Congress?

UPDATE 2014 – LEAD RESEARCHER IN THE GARDASIL VACCINE WARNS PARENTS THAT IT IS A DEADLY SCAM

Dr. Diane Harper was a leading expert responsible for the Phase II and Phase III safety and effectiveness studies which secured the approval of the human papilloma virus (HPV) vaccines, Gardasil™ and Cervarix™. Dr. Harper also authored many of the published, scholarly papers about the vaccines.

She is now the latest in a long string of experts who are pressing the red alert button on the devastating consequences and irrelevancy of these vaccines. Dr. Harper made her surprising confession at the 4th International Conference on Vaccination which took place in Reston, Virginia. Her speech, which was originally intended to promote the benefits of the vaccines, took a 180-degree turn when she chose instead to clean her conscience about the deadly vaccines so she "could sleep at night". The following is an [excerpt from a story by Sarah Cain](#):

"Dr. Harper explained in her presentation that the cervical cancer risk in the U.S. is already extremely low, and that vaccinations are unlikely to have any effect upon the rate of cervical cancer in the United States. In fact, 70% of all HPV infections resolve themselves without treatment in a year, and the number rises to well over 90% in two years. Harper also mentioned the safety angle. All trials of the vaccines were done on children aged 15 and above, despite them currently being marketed for 9-year-olds.

So far, 15,037 girls have reported adverse side effects from Gardasil™ alone to the Vaccine Adverse Event Reporting System (VAERS), and this number only reflects parents who underwent the hurdles required for reporting adverse reactions. At the time of writing, 44 girls are officially known to have died from these vaccines. The reported side effects include Guillian Barré Syndrome (paralysis lasting for years, or permanently — sometimes eventually causing suffocation), lupus, seizures, blood clots, and brain inflammation. Parents are usually not made aware of these risks.

Dr. Harper, the vaccine developer, claimed that she was speaking out, so that she might finally be able to sleep at night. 'About eight in every ten women who have been sexually active will have HPV at some stage of their life,' Harper says. 'Normally there are no symptoms, and in 98 per cent of cases it clears itself. But in those cases where it doesn't, and isn't treated, it can lead to pre-cancerous cells which may develop into cervical cancer.'

Although these two vaccines are marketed as protection against cervical cancer, this claim is purely hypothetical. Studies have proven "*there is no demonstrated relationship between the condition being vaccinated for and the rare cancers that the vaccine might prevent, but it is marketed to do that nonetheless. In fact, there is no*

actual evidence that the vaccine can prevent any cancer. From the manufacturers own admissions, the vaccine only works on 4 strains out of 40 for a specific venereal disease that dies on its own in a relatively short period, so the chance of it actually helping an individual is about about the same as the chance of her being struck by a meteorite.”

UPDATE #1: Since coming forward with the truth about the devastating consequences of the HPV vaccine, Dr. Harper has been the victim of a relentless campaign attempting to discredit the validity of her claims. Harper was even misquoted by British tabloid *The Sunday Express* which printed a false story loaded with fabricated quotations attributed to Harper. In an interview with [The Guardian](#), Harper makes it very clear about what exactly she said in order to protect herself from a potential lawsuit. [In an interview with CBS NEWS](#), Harper clarifies her position, and once again makes it crystal clear just how devastating this vaccine can be: “*If we vaccinate 11 year olds and the protection doesn’t last ... we’ve put them at harm from side effects, small but real, for no benefit,*” says Dr. Harper. “*The benefit to public health is nothing, there is no reduction in cervical cancers, they are just postponed, unless the protection lasts for at least 15 years, and over 70% of all sexually active females of all ages are vaccinated.*” She also says that enough serious side effects have been reported after Gardasil use that the vaccine could prove riskier than the cervical cancer it purports to prevent. Cervical cancer is usually entirely curable when detected early through normal Pap screenings.

“The risks of serious adverse events including death reported after Gardasil use in (the JAMA article by CDC’s Dr. Barbara Slade) were 3.4/100,000 doses distributed,” Harper tells CBS NEWS. *”The rate of serious adverse events on par with the death rate of cervical cancer. Gardasil has been associated with at least as many serious adverse events as there are deaths from cervical cancer developing each year. Indeed, the risks of vaccination are underreported in Slade’s article, as they are based on a denominator of doses distributed from Merck’s warehouse. Up to a third of those doses may be in refrigerators waiting to be dispensed as the autumn onslaught of vaccine messages is sent home to parents the first day of school. Should the denominator in Dr. Slade’s work be adjusted to account for this, and then divided by three for the number of women who would receive all three doses, the incidence rate of serious adverse events increases up to five fold. How does a parent value that information,”* said Harper.

“Parents and women must know that deaths occurred,” Harper tells CBS NEWS. *“Not all deaths that have been reported were represented in Dr. Slade’s work, one-third of the death reports were unavailable to the CDC, leaving the parents of the deceased teenagers in despair that the CDC is ignoring the very rare but real occurrences that need not have happened if parents were given information stating that there are real, but small risks of death surrounding the administration of Gardasil.”* She also worries that Merck’s aggressive marketing of the vaccine may have given women a false sense of security. *“The future expectations women hold because they have received free doses of Gardasil purchased by philanthropic foundations, by public health agencies or covered by insurance is the true threat to cervical cancer*

in the future. Should women stop Pap screening after vaccination, the cervical cancer rate will actually increase per year. Should women believe this is preventive for all cancers — something never stated, but often inferred by many in the population — a reduction in all health care will compound our current health crisis. Should Gardasil not be effective for more than 15 years, the most costly public health experiment in cancer control will have failed miserably.” Harper notes that her concern for the vaccine’s deadly side effects applies only to women in the Western world. ”Of course, in developing countries where there is no safety Pap screening for women repeatedly over their lifetimes, the risks of serious adverse events may be acceptable as the incidence rate of cervical cancer is five to 12 times higher than in the US, dwarfing the risk of death reported after Gardasil.”

UPDATE #2: The National Vaccine Information Center or NVIC [HAS CONFIRMED](#) two virologists, Stephen Krahling and Joan Wlochowski, have filed a lawsuit against their former employer and vaccine manufacturer Merck.

The NVIC writes: “The lawsuit alleges that Merck defrauded the U.S. for over 10 years by overstating the MMR vaccine’s effectiveness.

The virologists claim in their lawsuit that they ‘Witnessed firsthand the improper testing and data falsification in which Merck engaged to artificially inflate the vaccine’s efficacy findings.” NVIC president and co-founder, Barbara Loe Fisher, warns of the disturbingly cozy relationship and overwhelming conflict of interest between federal agencies charged with vaccine safety oversight (such as the Centers for Disease Control) and vaccine manufacturers. Merck’s global vaccine sales total more than \$20 BILLION A YEAR.

As the world’s pharmaceutical giants continue to be driven less by moral accountability and more by profit and shareholder-driven bottom lines, we are going to see more and more products such as this vaccine which are marketed as “essential to one’s survival.” While some vaccines are indeed essential, such as vaccines for polio and measles, the HPV vaccine is a new beast entirely. To learn more about how pharmaceutical giants are putting profits ahead of ethics you need to watch FRONTLINE’s terrifying new documentary [“Hunting The Nightmare Bacteria.”](#)

- From: http://www.thedailysheep.com/lead-developer-of-hpv-vaccines-comes-clean-warns-parents-young-girls-its-all-a-giant-deadly-scam_012014#sthash.GzwndHaz.dpuf.

[UPDATE 2014. HERD IMMUNITY – MYTH OR REALITY – How Vaccination Reduces Natural Immunity To Disease.](#)

This is the title of an excellent, scholarly article published in *Health Freedom News*, Volume 31, #4, Winter 2013 by Dr. Tetyana Obukhanych. It explains clearly that the concept of “herd immunity” based on vaccination is a false concept. In fact, vaccination makes natural immunity weaker, not stronger. Dr. Obukhanych wrote a 2012 ebook entitled *Vaccine Illusion; How Vaccination Compromises Our Natural Immunity and What Can We Do To Regain Our Health* available at: <https://sites.google.com/site/vaccine-illusion/>

UPDATE, JUNE 2014

Leading Vaccine Researcher and Mandatory Vaccination Proponent: Measles Vaccine Can't Prevent Outbreaks

In the medical journal *Vaccine*,² Dr. Gregory Poland, the journal's editor-in-chief, professor of medicine and founder and leader of Mayo Clinic's Vaccine Research Group, recently made surprising public statements about the poor effectiveness of measles vaccine in the MMR shot.

For many years, Dr. Poland has been a strong mandatory vaccination proponent and has criticized MMR vaccine safety critics but now he is taking the lead in publicly criticizing the vaccine's failure to prevent measles.

Public health agencies have been reporting measles outbreaks in the US for the past few years, which they often blame on unvaccinated individuals, despite the fact that in 2012, 95 percent of children entering kindergarten had gotten *two MMR shots* and so had more than 90 percent of high school students.

With this high degree of compliance with a supposedly effective measles vaccine, many people have been wondering why the U.S. is seeing a resurgence of measles cases (from January 1 to June 6, 2014, the CDC reported 397 cases of measles and 16 outbreaks in the US).³

For starters, it's important to remember that, like B. pertussis whooping cough and other infectious diseases, measles has natural cyclical increases and decreases every few years in populations.

These may occur even in highly vaccinated populations because the vaccine itself is not a guarantee of long lasting immunity and even two doses of MMR vaccine can fail to protect. According to Dr. Poland, who is conducting research at Mayo Clinic to develop new measles, mumps and rubella vaccines:⁴

"...the immune response to measles vaccine varies substantially in actual field use. Multiple studies demonstrate that 2–10% of those immunized with two doses of measles vaccine fail to develop protective antibody levels, and that immunity can wane over time and result in infection (so-called secondary vaccine failure) when the individual is exposed to measles.

*For example, during the 1989–1991 U.S. measles outbreaks **20–40% of the individuals affected had been previously immunized** with one to two doses of vaccine. In an October 2011 outbreak in Canada, **over 50% of the 98 individuals had received two doses of measles vaccine...** this phenomenon continues to play a role in measles outbreaks.*

Thus, measles outbreaks also occur even among highly vaccinated populations because of primary and secondary vaccine failure, which results in gradually larger pools of susceptible persons and outbreaks once measles is

introduced.

*This leads to a paradoxical situation whereby **measles in highly immunized societies occurs primarily among those previously immunized.**"*

A BRIEF HISTORY OF VACCINATION

Dr. Edward Jenner is credited with the first successful vaccine about 210 years ago. Smallpox was among the worst diseases of the day. Medicine had little to offer in the way of a cure or preventive.

Dr. Jenner injected pus into healthy human beings taken from cattle who had cowpox, a form of smallpox that affects only cattle. By this means, he was able to protect some of those who were vaccinated against smallpox. The word *vaccine* derives from the word *vaca*, meaning a cow in Spanish.

As word spread of the new vaccine idea, people were impressed. As a result, vaccination was accepted as a valid medical advance. Since that time, many vaccines have been developed. While they have some value in some cases, unfortunately vaccination is fraught with problems. Sadly, you won't hear about them from your doctor. If a medical doctor speaks out against the sacred cow of vaccination, he loses his license to practice medicine. That is how the medical system operates today.

VACCINE PROBLEMS

From the start, there were problems with vaccines. These included adverse effects such as fevers, and occasionally death from the very disease the vaccine was designed to protect against. However, the benefits of vaccines outweighed the problems and the shots helped eradicate certain diseases.

This background is brief, but very important to understand the vaccine situation now. Today, vaccination is a "protected industry". That is, no one has seriously questioned its premises in spite of horrendous problems that we will discuss. Our federal government protects the vaccine industry by handling its liability problems.

On October 1, 1988 the US Congress established the Vaccine Compensation Program. Basically, every vaccine shot is taxed about 1 dollar. This money is used to pay off the families of children who are killed or injured by vaccines. This is an outrageous pact between an industry and the government, in my view, to shift responsibility for damages from the vaccine industry to the taxpayers.

According to the government's own *Vaccine Injury Compensation Program* or VICP website, millions of dollars are quietly paid out for vaccine injuries every month in the United States of America alone. You can check the figures yourself.

Regardless of your feelings or beliefs about vaccination, the mere fact that a major government budget item is paying damage awards for vaccine injuries means there exists a severe problem with this industry. Let us examine it in detail. Before doing so, however, here is a very recent medical article that shows how medical research distorts the value of vaccination.

<p>2008 STUDY SHOWS NO BENEFIT FOR HEALTHY ADULTS OF FLU SHOTS (American Journal of Respiratory Critical Care Med 2008;178:527-533)</p>
--

In this recent study involving 704 people, it first appears that flu shots reduced death from respiratory illness a full 50%. However, the researchers decided to check an important factor.

They corrected the data for what is called the “healthy user effect”. This is an extremely important factor in some vaccinations that has not been taken into effect in previous studies.

The healthy user effect refers to the fact that some patients take generally better care of themselves. They eat well, avoid smoking and drinking, take nutritional supplements and so forth.

When this group was excluded from the vaccine study, it turned out that the difference in the death rate from the flu between the vaccinated and unvaccinated groups was 0. In other words, if you take care of yourself, flu shots, according to this smaller study, had no benefit whatsoever.

Who should be vaccinated?

The answer is no one.

Now let us examine the history of vaccination in America, its nation of origin and still the most vaccinated in the world.

THE WORLD OF 140 YEARS AGO

The world of Dr. Jenner (1749-1823) was quite different from ours:

* Doctors did not wash their hands when they touched patients or even when they delivered babies.

* Most deaths were due to infectious diseases. Cancer, heart disease and diabetes were relatively rare.

* Children died by the thousands in America and Europe from infectious diseases due to bad water, poor food, inadequate shelter and poor hygiene and sanitation. Rats, mice, ticks and other vermin carried cholera, typhoid and many other diseases everywhere, spreading germs and filth.

* There were few antibacterial or antiviral medicines. Those that did exist were extremely toxic, such as arsenic and mercury (Calomel).

THE WORLD TODAY

Filthy conditions still exist in some parts of the world, as do the infectious diseases that go with them. In these places vaccination may still make good sense.

However, America and the developed world have cleaned up the water, the food, and even the air. It used to contain fecal matter such as horse manure, hoards of flies, mosquitoes and more. Today, instead of germs in the air we have toxic chemicals and metals, a new situation with different consequences.

Personal hygiene and sanitation are taken for granted in most advanced nations, and many occupational and public health laws protect us from deadly contagious illnesses.

Medicine has advanced tremendously, with modern antibiotic, antiviral, antifungal

and other agents that can halt many infections quickly and safely.

The epidemic illnesses are 'degenerative', such as cancer, heart disease, diabetes and dementias.

WHAT ABOUT VACCINES TODAY?

Vaccination can still protect people from some infectious diseases. However, adverse effects of vaccines are increasing. Possible reasons for this are:

- 1) The differing conditions explained above.
- 2) Many more vaccines. Fifty years ago there were some 8-10 vaccines. Today, over 40 are recommended in some states.
- 3) Combinations of vaccines are decidedly deadlier.
- 4) Other reasons might include more awareness of vaccine-related injuries and more attorneys willing to assist clients in this area.

For all these reasons, it is time to review the benefits versus the problems of vaccination as a public health method.

VACCINE EFFECTIVENESS

Vaccine advocates claim that the reduction in certain diseases is mainly due to vaccination. However, careful studies, such as that by J.B. and S.M. McKinlay, show that the vaccine-related diseases such as tuberculosis, diphtheria, smallpox and others were declining before vaccination came along. Improved hygiene, better sanitation and better nutrition of the people are the likely factors in their decline. This has been shown to be the case in many nations since then.

The McKinley study indicated that vaccines accounted for only about 4% of the decline of several important diseases. However, it can appear that vaccines were of more benefit because they came along about the same time that hygiene, sanitation and nutrition improved.

It is also well-known that vaccines do not protect 100% against a disease, and they offer only temporary or partial immunity.

VACCINE SAFETY

Vaccines side effects are well-known. The following was taken from vaccine package inserts and other vaccine company information. Your doctor is supposed to tell you about them. How many of the following were you told about?

*** HPV or Gardasil:** Death reports are beginning to accumulate as this new vaccine is given to more and more teenage girls and even boys, although they cannot get the same condition of cervical cancer, which the vaccine is supposed to prevent, so this is patently insane except to try to prevent transmission of the sexually-transmitted HPV virus. However, the vaccine only covers some strains of the virus, so it is not even fully effective, if it works at all.

Other "side effects" have so far included: Bells Palsy, Guillan-Barre syndrome, seizures, blood clotting and heart problems, miscarriages and fetal abnormalities amongst pregnant women who received the vaccine.

Thousands have experienced syncope, rashes, facial paralysis, seizures and other ef-

fects, especially when this vaccine is combined with any of about 18 others in young girls or boys.

* **Polio Vaccine Side Effects:** Contracting polio from the vaccine, spreading the disease to others and Guillain-Barre syndrome. (Guillain-Barre syndrome is a severe fever and nerve disease that did not exist prior to vaccination.)

* **The “Safe” DaPT (formerly DPT-diphtheria, pertussis, tetanus):** This is one of the worst, with many instances of high fevers, shock, convulsions and death.

* **Smallpox:** Gangrene, smallpox, encephalitis, liver, spleen, pancreas and kidney disorders, herpes and polio.

* **HiB (Influenza):** When given with the DPT, persistent crying, seizures, hives, asthma and kidney failure.

* **MMR (measles, mumps, German measles):** Contracting measles, seizures, Guillain-Barre syndrome, arthritis, autism, nerve deafness and death.

* **Hepatitis B:** Shock, arthritis, Guillain-Barre, bronchospasm, multiple sclerosis, herpes, and possible sudden infant death.

* **Chickenpox:** Seizures, fevers, death and contracting chickenpox (in 27% of cases), which can cause birth defects if it spreads to pregnant women.

* **Flu Shots.** These can cause the flu in people who are healthy. I know of a person who died as a result of getting the flu right after receiving her “flu shot” vaccine.

My comment is this is one of silliest vaccines. There is no way to tell which of the hundreds of strains of influenza will be dominant in a particular year. Companies that make the shots literally guess which strains of flu to put in the vaccine. They also still contain some mercury, so the patients are poisoned with this as well. I suggest avoiding these always.

Adverse effects of the 30 or so other “mandated” vaccines would fill another 10 pages, but the point is clear. Vaccines are not safe at all. The references contain more information.

WHAT ABOUT FLU SHOTS?

Please read the following article about flu shots, as it is very important and you won't see it reported this way on the evening news:

http://articles.mercola.com/sites/articles/archive/2013/09/10/universal-flu-vaccine.aspx?e_cid=20130910Z1_DNL_art_1&utm_source=dnl&utm_medium=email&utm_content=art1&utm_campaign=20130910Z1 .

ADVERSE EFFECT REPORTING

Most vaccine problems are never reported. Until 1991, no centralized method existed to even report vaccine adverse effects.

According to the FDA, only about 10% of vaccine side effects are reported. However, other studies reveal that only 1 to 4% of adverse effects are ever reported. For example, in 1998, the National Vaccine Information Center did a survey of New York pediatric offices and found out that “only one in 40 doctors reports a death or an injury following vaccination.” That is only a 2.5% reporting rate! If we extrapol-

ate this percentage of underreporting, one finds that at least 20 million adverse effects have occurred since 1991.

Unfortunately, pediatricians and other doctors have an incentive not to report vaccine problems. Vaccination is the bread and butter of much of the pediatric profession.

THE BILLION-DOLLAR COVER-UP

A Drug Company Subsidy.

For years, the federal government has “limited the liability” of drug companies that produce vaccines. This was kept quiet in the past, but is no longer a secret.

I was shocked to visit the website of the *Vaccine Injury Compensation Program* or VICP. The US government (this means you and me) has paid out over \$1.7 billion in vaccine damages to 3466 victims, as of January 2008.

In fact, most claims were dismissed, probably due to the “10-day rule”. This is the insane idea that any injury that you do not report to your doctor within 10 days doesn’t count as vaccine-related. It is ridiculous because most severe vaccine injuries can take weeks, months or years to develop.

The VICP Mission.

The VICP website states that its mission is to reduce lawsuits aimed at vaccine companies in order to “stabilize” vaccine supplies and promote vaccine research and development. In other words, drug companies are not responsible for the deaths and disability they cause.

Without this government support, many fewer vaccines, if any, would be on the market due to liability concerns.

The Right To Sue For Damages.

I do not always like the tactics used by lawyers. However, the right to sue and recover damages is a fundamental legal principle. It protects all of us from all types of shoddy and dangerous products. Every medical device, drug, and procedure that I am aware of is subject to legal liability *except vaccination*.

Meanwhile, our government quietly has been paying the bill to the tune of about \$100 million every year out of taxpayer money. Not only has the cost been rising. As explained below, it is likely to increase much more.

Autism Damage.

The VICP website states that the \$1,749,743,610.45. in damage awards includes *just one case of autism*, and that occurred in 2008. This is probably because autism may take weeks or several years to develop after vaccination, so it does not count in court as a vaccine injury.

However, autism did not even exist as a medical diagnosis before widespread vaccination was in place in America and around the world. Many shocked parents will attest that their child developed normally until after a vaccination.

I expect the damage awards for the hundreds of thousands of autism cases to increase drastically in the years to come. Interestingly, a study of Amish people found that

there were only three cases of autism in the group. Amish people do not vaccinate their children. *The three cases, it turned out, were all children who had been brought into the Amish community from outside, and had been vaccinated.*

Vaccine damage awards are already a major government budget item. Other staggering costs for parents, insurers and the states include the lifelong treatment of all the autistic children and those with other vaccine-related developmental problems. Clearly there are serious problems with vaccines.

MERCURY AND OTHER TOXINS IN VACCINES

Extremely toxic chemicals are **always** added to **all** vaccines. They include *mercury, aluminum, formaldehyde, acetone, lead, cadmium* and others. Most often, they are not listed on the package insert. However, they are needed as sanitizers, stabilizers and preservatives.

They **must** be added to reduce contamination of the vaccine with other viruses, bacteria, parasites, fecal matter and other items found in the culture medium on which the vaccine germs are grown.

These additives are themselves deadly, especially for very young children. However, they are highly toxic for everyone. For instance, they are all neurotoxic. This means they impair and can destroy brain function, especially in young, quickly-growing children and infants. Some are toxic for the immune system, for the digestive system and for other body systems as well.

Mercury is probably the worst single offender in the vaccine tragedy now occurring all over the world where vaccination is practiced. Well-known symptoms of mercury toxicity in young children include autism, ADHD, gut damage, visual disturbances, and delayed myelination of the nerves. Other problems include thyroid disease, delayed development, learning disorders and even death.

Mercury has been well-studied, despite lies to the contrary by our health agencies such as The Institute For Medicine, the Food and Drug Administration (FDA) and the Centers For Disease Control (CDC).

AUTISM

Bernard Rimland, PhD, is director of the Autism Research Institute and founder of the Autism Society of America. He wrote:

“The FDA, CDC and various medical associations have failed miserably in their duty to protect our children (*from the horrors of vaccination*, editors note). Rather than acknowledge their role in creating the immense, catastrophic rise in autism, they have resorted to denial and obstruction. They stand to lose their credibility and billions of dollars in liability suits that will soon reach our courts. The truth must and will emerge.”

The gravest symptom of mercury, according to many studies, is a worldwide epidemic of a “new” disease, autism. It was totally unknown before about 1940, before mass vaccination began. In the 1980s, the incidence was about 1 in 10,000 children. Today it is diagnosed in 1 in 150 children, about 80% of which are boys. In fact, the incidence is much higher in vaccinated boys, according to a 2007 study of 17,674

children in California and Oregon.

Treatment for mercury toxicity is not always successful, so autism and several other conditions possibly related to it such as ADHD, developmental delays and learning problems are extremely costly and in many instances hard to treat.

Thimerisol-Free Vaccines. Some vaccines are now available without thimerisol or mercury-free. However, many doctors and hospitals do not stock them.

Also, this is often a lie. For example, those who have requested thimerisol-free vaccines are told incorrectly that they are receiving them, when, in fact, they are not. Thimerisol-free can mean the vaccine just contains less mercury. Even most flu shots still contain 25 mcg of mercury as thimerisol.

Also, if thimerisol mercury is not present in your vaccine, something has replaced it that may not be listed on the label and could be as toxic or more so than thimerisol.

For all the documentation on the link between mercury as thimerisol and autism, please read *Evidence of Harm-The Story of Thimerisol* by David Kirby.

MEMORY LOSS, LEARNING DISORDERS AND OTHER BEHAVIORAL PROBLEMS

Aluminum is commonly used to stabilize vaccines. It is associated with dementia and other brain problems. Lead and cadmium found in some vaccines and other pharmaceutical preparations cause severe tissue damage to the liver, kidneys and other organs and systems of the body. Acetone, another vaccine component, also used as nail polish remover, damages the liver, kidneys and most other organs of the body.

Cumulative Poisons. Health authorities tell us the amount of mercury, aluminum and other toxins in vaccines is small. Let us review the numbers.

The recommended exposure to mercury for a newborn is 1-4 micrograms or mcg. It is estimated that today's child receives up to 212 mcg of mercury from his recommended vaccines! Similar huge exposures occur to aluminum, cadmium, lead and other toxic chemicals and metals.

Add to this that **most** children born today already have excessive levels of these toxins in their bodies. This is due to vaccines given to the mother, along with environmental exposures that range from silver amalgam dental fillings that are half mercury to eating too much fish. Many pharmaceutical drugs also contain the same preservatives and chemicals as vaccines. Childhood is also a time of extreme vulnerability to toxic chemicals of any kind because the nervous system and other body systems are growing fast.

AIDS AND GULF WAR SYNDROME

The greatest incidence of AIDS happens to be in the most intense regions of small-pox vaccination in Africa, Brazil and Haiti. Scientists believe this may have occurred because African monkeys were imported to the United States and elsewhere to produce certain vaccines.

These shots may have accidentally transmitted the SV40 monkey virus to the

people. This is a close relative of the AIDS virus. Let us explain why this could have happened. Vaccines are grown on dog and monkey kidneys, horse and calf serums (including pus), rabbits' brains, even animal urine. This can introduce the DNA of other species directly into the blood of young human children. This is akin to genetic engineering, but with no controls and unknown long-term consequences. This could be the origin of AIDS and many other strange new diseases today.

Beware, there are no long-term studies done on today's vaccines before they are introduced and recommended by our public health authorities.

Read that sentence over and over before you go for your next flu shot or vaccine for your child.

Mixing animal organs and tissues directly with a child's blood also introduces a wide variety of random viruses, bacteria, parasites and other material that is contained in these body fluids and tissues. It is impossible to purify tissues completely. Even if it is done correctly, one can never know when contamination has occurred.

Gulf War Syndrome. This has taken the vitality and even the lives of many of our best young men and women. Is it about vaccines? You decide. Our troops received about 15 "experimental" vaccines. Even those who were never deployed to the Middle East developed gulf war syndrome.

Troops from France, however, did not receive the experimental vaccines. They did not develop Gulf War syndrome, even though they fought against Saddam Hussein's army with its possible use of chemical and biological weapons.

This would tend to rule out chemical weapons, depleted uranium or food-borne illness as causes of Gulf War Syndrome. In spite of these facts, the American military vaccine program continues today.

THE NEED FOR FURTHER VACCINE RESEARCH

In 2005, Julie Gerberding, director the Centers For Disease Control, stated that studying the health of vaccinated versus unvaccinated children would be "something that could be done". Yet no such studies have been begun by our government, in spite of begging and pleading by several groups of concerned citizens.

In October, 2007, however, Generation Rescue, a private group, spent their own money to conduct a survey of 17,674 children in California and Oregon from ages 4-17. 911 unvaccinated children were found. The study showed that the incidence of ADHD among the older unvaccinated boys was less than one fourth that of the vaccinated boys. The incidence of autism among boys who were not vaccinated was less than half that of boys who were vaccinated.

This is extremely damning evidence, and quite easily verified by more studies, but so far the government refuses to do the studies.

The California-Oregon study was conducted based on an earlier smaller study of Amish people in 2005. The Amish do not allow their children to be vaccinated. This study revealed only three cases of autism.

Upon further investigation, all three of these children had been vaccinated. Two were adopted into the community after vaccination. The third was a boy whose mother joined the Amish community after he was vaccinated. In other words, no autism at all was found among the Amish!

Privately funds an unvaccinated children are desperately needed for more studies of this kind. Anyone who has an unvaccinated a child may inquire about participating in such a study by contacting Mary Tocco at Mary@marytocco.com.

SUDDEN INFANT DEATH

The cause of Sudden Infant Death, or SIDS, is not known. It is increasing, however, wherever vaccination is practiced. A revealing study was conducted in Australia in the 1970s. Due to safety concerns, vaccination was made voluntary in Australia. Almost immediately half the population stopped vaccinating.

The same year, the incidence of Sudden Infant Death also decreased in Australia by about 50%. Obviously, this is an area in need of greater research to confirm or disprove a link between SIDS and vaccination.

OTHER CONSIDERATIONS BEFORE VACCINATING

Vaccination Is Not Immunization. When vaccines are effective, they do not confer complete or “natural” immunity. This is well-known, but hardly ever explained to parents and others.

In fact, vaccines only confer an artificial, partial or temporary immunity. The only way to obtain full immunity from an infectious illness is if one actually goes through the illness and recovers fully.

Vaccine-based “immunity”, by way of contrast, diminishes in its protective effect after one or more years, assuming it was effective at all. As stated in an earlier section of this article, one does not know if one’s vaccination was or is ever effective or not. There is no easy way to tell.

The Need For Boosters. Natural immunity occurs due to contracting a case of mumps or chickenpox. You are in no danger of another episode later in life.

Vaccines, however, reduce in effectiveness after a number of years. So you can get the disease unless you keep getting vaccinated repeatedly, hoping each time that the vaccine works well. This is costly and exposes one repeatedly to all the problems associated with vaccines.

More Serious Diseases Later In Life. Since one does not obtain full immunity to disease from a vaccine and may forget even one booster shot, many people get mumps, chickenpox or rubella (German measles) later in life. This is far worse than having it as a child and is associated with deafness, birth defects and even death. Other side effects later in life might include multiple sclerosis, adult ADHD, and much more.

Spreading Diseases. Sadly, vaccination can spread disease in three ways:

- 1) People get the disease they are being vaccinated against. Most cases of polio, whooping cough, diphtheria and even tuberculosis are in people who have been vaccinated.
- 2) People who are vaccinated get a mild case of the disease and spread it to someone else by contagion.
- 3) Vaccines can spread germs and even cause new types of diseases when they are made by sloppiness during their manufacture. Viral cultures must be reproduced or grown on eggs, animals and other media. Occasionally slip-ups, contamination and other problems occur that are potentially very dangerous, such as the AIDS possibility discussed above.
- 4) Vaccination spreads all disease by weakening people's immune systems. This is a very serious problem in itself.

“Killed” Vaccines. This is not so much a problem in itself as much as it is a deliberate lie to make vaccines more acceptable to the public. Vaccines never contain just killed micro-organisms. If they did, they would be ineffective. Instead, they contain very weakened or attenuated organisms. So the term “killed” vaccines is definitely incorrect.

Combinations of vaccines.

Administering several vaccines at once, of combination vaccines like the DPT is an even greater recipe for disaster.

Reports from the federal Vaccine Injury Compensation Program (see references) indicate that the most deaths have occurred with combination vaccines. These include the DPT, DaPT and the MMR.

Also, combination of individual vaccines are often given at a single doctor's visit to save time and trouble. This is also an very unwise and insane practice, according to government statistics.

Healthy People Are Much Less Susceptible to All Illness. This should be obvious but bears repeating. There is no substitute for eating well, resting adequately and living healthfully. Any other approach to your health is risky at best. Vaccines are known to weaken the body and thus worsen general health.

Most Infectious Diseases Are Benign. This includes such “killer” diseases like polio, which is completely benign in over 95% of cases. Many people have had it and don't ever know it. It appears as a flu-like syndrome that passes without a problem if treated correctly. Most cases of polio since the 1980s are in vaccinated children.

Another illness that occurs mostly in vaccinated children is whooping cough. It, too,

can be handled with conventional medical and natural methods without the need for vaccination in almost all cases.

Measles, mumps and chickenpox are also totally benign in most cases. In fact, it is far better to contract it harmlessly as a child than to be vaccinated and run the risk that the vaccine loses its effect after 10 or 20 years. When that happens, one may contract the disease as an adult, when these illnesses are far more severe than in childhood.

The same is true of hepatitis, infant diarrhea, diphtheria, tetanus, flu shots, human papilla virus, herpes, and the other diseases for which vaccinations are suggested.

In summary, the side effects of the vaccines tend to be far worse than the illnesses they are designed to protect against. Also, there are no guarantees the vaccines are even effective. In one vaccine package insert, I read that in 42% of cases, the vaccine did not “take”, meaning it was not effective,

All Diseases Are Treatable. Doctors may say that some diseases, such as polio, are “untreatable” and thus vaccination is needed. This is absolutely untrue, as is some other information available about infectious diseases. “Untreatable” means only that the doctor doesn’t know how to treat it.

Most all infections, bacterial and viral, can be handled safely and quickly by modern emergency medicine. This was not the case, however, 50 years ago when many vaccines were developed.,

Natural approaches can enhance treatment, and at times is far better than any drugs or other medical therapies, especially if used at the first sign of illness. The basics of natural treatment for infections include:

1) *Plenty of rest.* Keep your child home from school or, if you are the one who is ill, stay home from work. This alone helps the body fight the infection more than any other single measure.

2) *Natural Remedies.* Colloidal silver, herbs such as Echinacea, and golden seal, vitamins A and C, bee propolis, and other natural remedies can be used immediately. They must be given in sufficient amounts for the age and weight of the person.

Chiropractic, colon therapy, energy balancing and many other natural therapies can also greatly assist the body to fight any infection.

Once again, natural methods of treatment can and should be applied immediately and aggressively. This is true even if one will visit a doctor and take an antibiotic or anti-viral medicine.

An older natural healing book, ***Back To Eden*** by Jethro Kloss is one resource for old-fashioned ways to cope with infectious diseases in a gentle, safe manner.

Newer natural remedies include colloidal silver and especially vitamins A and C in high doses. According to the book, ***Curing The Incurable, Vitamin C, Infections and Toxins*** by Thomas E. Levy, vitamin C in high doses will stop most all infections. Exercise caution with vitamin C drips, however. This is not something to do lightly and I hardly ever recommend it because other methods are much safer, less expensive and even better. For example, I much prefer to use sauna therapy for deep, chronic infections and obtain excellent results. The point is, there are plenty of ways besides conventional medicine to cope with infections without resorting to vaccination

with all its problems we have elaborated above.

3) *Drink lots of water and eat lightly.* Preferably drink distilled or spring water. Do not eat too much of anything when feverish. Favor soups and liquids. Do not eat any junk food, as it just makes fighting the infection that much harder.

For much more information about treating infections naturally, read [Boosting The Immune System](#).

OPTING OUT

Anyone in America who does not wish to be vaccinated can still opt out – either on philosophical or on religious grounds. You need not submit yourself or your children to the horror that is vaccination today. Here is a link to find [Vaccine Refusal Forms](#). The references below also list websites that offer vaccine refusal forms for every state. Some schools have them as well. **Do not allow yourself and your child to be bullied.**

If you still choose to have yourself or your child vaccinated and problems arise, report them quickly to a physician and insist that he report them to the Vaccine Adverse Effect Reporting System or VAERS.

Filing A Vaccine Injury Claim. If you wish to file a claim for vaccine injury, our benevolent government will pay your legal cost, even if you do not win your case. Most cases are dismissed, probably because of the 10-day rule. But at least there is some legal recourse. A website in the references specifically deals with legal defense for those injured by vaccines.

IF YOU STILL DECIDE TO VACCINATE

If you choose to vaccinate, here are some important and perhaps life-saving suggestions:

1) Never vaccinate unless the person is very healthy. If your child is sniffing or has an upset stomach on the day of the doctor's appointment, call and reschedule when the child is totally well.

2) Never, ever give a child more than once vaccine at a time. Combinations are far more lethal, according to all statistical studies of vaccination.

3) Always request mercury and thimerisol-free vaccines and ask to see the package insert to verify this. Do not trust the doctor or nurse on this one. Many doctors are simply not informed on this topic.

Also, check what was used as the replacement for thimerisol. It could be just as bad as thimerisol or worse. Remember, something must be used to reduce vaccine contaminants.

WHEN IS VACCINATION INDICATED?

One may ask, What if I do not eat well and must work a lot as well? Then should I get vaccinated and vaccinate my children? The answer is a definite no, in my view. Instead, take better care of yourself and your children, because the resources to nourish yourselves better, detoxify the body, and heal the body naturally are readily avail-

able. You may also ask, What about vaccines for the starving children in Africa, parts of Asia and other undeveloped nations? They cannot afford good food, healthful water to drink and clean homes. The answer is that while vaccines may save a few lives, this must be weighed against the problems vaccines cause. Studies show that many poor children have infections, and this means vaccination is probably even more dangerous among them. So many die anyway that good studies of vaccine-related injuries among them are difficult. The money for vaccines would be far better spent on bringing them better food, better water, better homes and vitamin and mineral supplements.

Many years ago I lived in Mexico and worked there as a medical student and intern. I found it sad that most of the children who developed polio were the ones who were vaccinated.

I cannot think of any times I would recommend vaccination.

HAVING HEALTHY CHILDREN

Vaccines distract us from raising healthy children naturally. This topic is large. Much more information about raising healthy children is available in several other articles on this website. Here is basic information if you wish to have healthy children:

Prenatal Care. This should begin long before having children. The only adequate prenatal care, in my experience of 30 years, is to embark on a nutritional balancing program of the type I design. Preferably do this a year or more before you want to have children. Both mothers and fathers, too, could use this, although it is most critical for all young women who ever hope to have children. Nothing less will do, although eating many more cooked, not raw vegetables, (and not fruits) and caring for the body much better are always helpful.

Taking a “pre-natal vitamin” when a woman is pregnant is far too little too late. This style of prenatal care is laughable. By this time, most of the baby’s nervous system is already quite far along in development, although the baby is still very tiny.

It takes months to years to build up the body’s nutritional state, especially after the ravages of the teenage years. Most teens eat terribly, do not sleep enough and may engage in often stupid and dangerous behavior like premarital sex and other activities.

Our governments and most health educators encourage teens to eat poorly by allowing the sale of all manner of junk foods in school cafeterias and in the supermarkets. Sadly, this is how we prepare our young women, in particular, to have healthful children. It is no wonder so many mothers and their children have physical and emotional problems.

Farmers and ranchers all know that one must prepare the adult animals well, with superior nutrition, to produce healthy offspring. Dog breeders know this, too. In some “primitive” cultures girls begin preparing for pregnancy when they reach puberty. The only ones that seem to be in the dark are our medical and other government health “authorities”.

Breastfeeding is another obvious way to improve the health of children. This tends

to run in fads in medicine. Right now it is “in”, although mothers are told that a few months of breast feeding is adequate. It is not. One should breastfeed for two to three years for optimum immune system development.

La Leche League International is one of the best resources on our planet because it helps many mothers to keep breastfeeding when they develop difficulties and have no one else to consult. This is a very worthwhile organization to support.

Children’s Diets. This is the most important way to keep children healthy, rather than vaccinate them repeatedly. Most children’s diets are so bad I wonder how the children even survive, at times.

Cooked vegetables, ideally some with each meal, are very important today. Meats are important for many nutrients, and some whole grains are okay in moderation only.

Soda pop, fruit juices, refined sugars, white flour products, chemicalized “foods”, and even eating fruit can all ruin children’s health. Fruit is too sugary, too yin in Chinese medical terms, and not as healthful today. For more on this important subject, please read [Fruit-eating](#) on this site.

Lifestyle. Children also need plenty of rest, especially the teenagers, and a lot of peace and quiet. They need human interaction and not just computer games. They need to stay away from cell phones as much as possible as well. These simple measures, diet and lifestyle, are critical at all ages, but especially for today’s children.

References

Books and Periodicals:

1. Australian Vaccination Network, *Informed Voice Magazine*.
2. Butler, H., *Just A Little Prick*. (496 pages, excellent but hard to find).
3. Coulter, H., 1999, [Vaccination, Social Violence, and Criminality: The Medical Assault on the American Brain](#). Also by Dr. Coulter: *A Shot In The Dark*.
4. DeLatte, Y., 1990, *Vaccinations, The Untold Truth*. (superb research).
5. Deodati, C., *Immunization: History, Ethics, Law and Health*.
6. Dye, M., [Vaccinations: Deception & Tragedy](#).
7. Halvorsen, R., *The Truth About Vaccines: How We Are Used as Guinea Pigs Without Knowing It*.
8. Kirby, D., *Evidence Of Harm*. (excellent book on the mercury/thimerisol controversy)
9. Koch, W.F., 1961, *The Survival Factor in Neoplastic and Viral Disease*. Excellent discussion of vaccines and antibiotics.
10. Matsumoto, G., *Vaccine-A: The Covert Government Experiment That's Killing Our Soldiers--And Why GI's Are Only The First Victims*.
11. McBean, E., 1993, *The Poisoned Needle*.
12. Mendelsohn, R.S., 1987, *How to Raise a Healthy Child in Spite of Your Doctor*.
13. Miller, N., 2002, *Vaccines: Are They Really Safe and Effective*.
14. Miller, N., 1995, [Immunization Theory Vs. Reality: Expose on Vaccinations](#).
15. Mullins, E., 1988, *Murder By Injection*.
16. Olmsted, D., paper on autism among the Amish people of Pennsylvania, April

19, 2005.

17. O'Shea, T., 2005, *The Sanctity of Human Blood: Vaccination Is Not Immunization*, 9th edition.

18. Schreibner, V., PhD., (studies on vaccines and Sudden Infant Death).

19. Tocco, Mary, "Are Vaccines Safe", excellent presentation video, available from www.childhoodshots.com or 231-642-7984.

20. Tuite, James, (studies of Gulf War Syndrome).

21. Wakefield, Andrew (studies on autism caused by vaccines, specifically related to gut problems).

Websites:

Private Groups:

1. www.Thinktwice.com/ (excellent site operated by Neil Miller)
2. www.nvic.org (National Vaccine Information Center)
2. www.vaclib.org, (American)
3. www.vaccinetruth.org (American)
4. www.thinktwice.com/lawyers.htm (vaccine legal defense)
5. www.vran.org (excellent Canadian site)
6. Mercola.com (excellent for new developments)
7. www.childhoodshots.com (offers for sale an excellent presentation on DVD).

Government:

1. www.hrsa.gov/vaccinecompensation (The Vaccine Injury Compensation Program)
2. www.vaers.hhs.gov (The Vaccine Adverse Effects Reporting System)

Other:

Millbank Memorial Fund Quarterly, Summer 1977, pp. 405-428 (regarding effectiveness of vaccines in eliminating diseases).